

**RESOLUTION NO. 22-70**

**A RESOLUTION OF THE CITY OF PANAMA CITY BEACH, FLORIDA, APPROVING A CHANGE ORDER TO THE CITY'S AGREEMENT WITH L&R CONTRACTING, INC. FOR HOMBRE CIRCLE CULVERT CLEANING AND DRAINAGE IMPROVEMENTS PROJECT IN THE BASIC AMOUNT OF \$62,907.75.**

**BE IT RESOLVED** that the appropriate officers of the City are authorized to execute and deliver on behalf of the City that certain Change Order #2 to the City's Agreement with L&R Contracting, Inc., relating to the Hombre Circle Culvert Cleaning and Drainage Improvements Project, in the basic amount of Sixty Two Thousand, Nine Hundred Seven Dollars and Seventy Five Cents (\$62,907.75), in substantially the form **attached** and presented to the Council today, with such changes, insertions or omissions as may be approved by the City Manager and whose execution shall be conclusive evidence of such approval.

**THIS RESOLUTION** shall be effective immediately upon passage.

**PASSED** in regular session this 13<sup>th</sup> day of January, 2022.

**CITY OF PANAMA CITY BEACH**

By:   
Mark Sheldon, Mayor

**ATTEST:**

  
Lynne Fasone, City Clerk

**CHANGE ORDER**

No. 2

PROJECT Hombre Circle Culvert Cleaning & Drainage Improvments  
 DATE OF ISSUANCE January 14, 2022 EFFECTIVE DATE January 13, 2022  
 OWNER City of Panama City Beach, Florida  
 OWNER's Contract No \_\_\_\_\_  
 CONTRACTOR L&R Contracting, Inc. ENGINEER McNeil Carroll Engineering, Inc.

You are directed to make the following changes in the Contract Documents

Description: 1.) Contractor has requested a time extension due to delays from this change order for 41 days. An additive cost increase to the contract in the amount of \$62,907.75 for demobilization, remobilization, MOT set-up, re-installing dams, bypass pumping, dewatering, removing and reinstalling RCP, and installing #57 stone bedding beneath the pipes.

**Reason for Change Order:**

Unforseen conditions once the existing pipes were exposed the metal extension at the ends could be inspected and were determined to have significant holes and areas of failure that would make connection to the sedimentation boxes impossible and impractical.

Attachments: Contractor Cost Estimate

Original Contract Price	<u>\$215,229.43</u>	<b>CHANGE IN CONTRACT TIMES:</b>	
Net <u>Decrease</u> from this Change Orders	<u>\$0.00</u>	Original Contract Times:	
Contract Price prior to this Change Order	<u>\$215,229.43</u>	Substantial Completion:	<u>October 18, 2021</u>
Net <u>Increase</u> of this Change Order	<u>\$62,907.75</u>	Final Completion:	<u>November 17, 2021</u>
Contract Price with all approved Change Orders	<u>\$278,137.18</u>		<u>days or dates</u>
		Net changes from previous Change Orders	<u>60</u>
			<u>days</u>
		Contract Time prior to this Change Order	
		Substantial Completion:	<u>December 17, 2021</u>
		Final Completion:	<u>January 16, 2022</u>
			<u>days or dates</u>
		Net <u>Increase</u> of this Change Order	<u>41</u>
			<u>days</u>
		Contract Times with all approved Change Orders	
		Substantial Completion:	<u>January 26, 2022</u>
		Final Completion:	<u>February 25, 2022</u>
			<u>days or dates</u>

**RECOMMENDED:**

By: \_\_\_\_\_  
 Engineer (Authorized Signature)  
 Date: \_\_\_\_\_

**APPROVED**

By: *Drew Whitman*  
 (Authorized Signature)  
 Date: 1-21-22

*Drew Whitman,  
 City Manager*

**ACCEPTED**

By: \_\_\_\_\_  
 Contractor (Authorized Signature)  
 Date: \_\_\_\_\_



December 15, 2021

Re: Hombre Circle Culvert Improvements and Cleaning

Attn: Kathy Younce

As per our discussion yesterday we are submitting revised pricing to account for the need to demobilize the project until the council can make a decision at the January 13<sup>th</sup>, 2022 meeting, and the cost to remobilize and recover the dewatering progress initially made on the work.


- Demobilize, breakdown and remove the bypass pumps and wellpoint pump, remove the dams at each end of the ditch, take down MOT and, safe up the area and open the roadway.
  - \$4025.00
- Remobilize equipment, set up MOT, re-build dams at each end of the ditch, set up bypass and wellpoint pump systems and begin pumping.
  - \$25,200.00
- Remove the existing 42" CMP on both sides of the road. Install 16 feet of 42" RCP off of each end of the pipes on the east side and install 8 feet off of each pipe on the west side.
  - \$30,814.00

Notes:

1. The pricing above is based on the City providing 48 feet (6 sticks) of 42" RCP. If the City only has 4 sticks, we can provide 2 for an additional \$2597.74.
2. No pipe video is included in the pricing.

3. #57 stone pipe bedding beneath the pipe is not included in the above pricing. If desired we can place gravel bedding (8" to 10" thick) below the new RCP for \$2868.75.
4. The above pricing does not reflect the lost production and costs associated with the analyzation and investigations to determine the best course of action to overcome this unforeseen condition. Being part of the team, we are willing to absorb those costs in an effort keep the impacts as minimal as possible.

Sincerely,



Brian Strickland